

# इंटरनेट

# मानक

## Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 6544 (1972): Wing Band for Poultry [FAD 5: Livestock Feeds, Equipment and Systems]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam


“Knowledge is such a treasure which cannot be stolen”



BLANK PAGE




## Indian Standard

SPECIFICATION FOR  
WING BAND FOR POULTRY**1. Scope** — Requirements for wing bands for poultry.**2. Dimensions** — As shown in Fig. 1 and 2.

All dimensions in millimetres.

FIG. 1 ALUMINIUM WING BAND FOR DAY-OLD CHICKS



All dimensions in millimetres.

FIG. 2 PLASTIC WING (BADGE) BAND FOR ADULT BIRDS

**3. Materials****3.1 Aluminium** — Aluminium sheet 0.40 mm, fully annealed.**3.2 Plastics** — Polyvinyl chloride (PVC) moulding type.**4. Other Requirements****4.1 Identification Numbers****4.1.1 Aluminium bands** — The numbers shall be embossed on the broader side of the band and shall be large enough to be visible. The blanks of the wing band shall have round edges so that they are blunt and shall not cut through the flesh and fall out.

## **IS : 6544 - 1972**

**4.1.2 Plastic bands** — The numbers shall be printed on the flat side of the band.

### **4.2 Fitting Device**

**4.2.1 Aluminium bands** — There shall be a hole at the end of the broader side of the wing band through which the projected portion shall pass easily.

**4.2.2 Plastic bands** — One flange shall have a projected knob which will fit to the hole provided in the other flange. The outer ends of the knob shall have a small projection outside to provide firm grip so that bands may not drop down automatically.

### **5. Test**

**5.1 Performance** — The projected end of aluminium and knob of the plastics wing bands shall properly fit and shall not get loosened when opened and closed for ten times.

**6. Packing** — The wing bands shall be packed in small cardboard boxes or wooden boxes or the packing may be done as agreed to between the purchaser and the supplier.

**7. Marking** — Each pack of wing bands shall be marked clearly with manufacturer's name or recognized trade-mark.

**7.1 ISI Certification Marking** — Details available from the Indian Standards Institution, New Delhi 1.